

# DRINKING WATER WARNING (Outage)

The Sun Vista/Sunlight Beach Water System, ID# \_\_\_\_\_, located in Island County may be contaminated because of water outage and loss of pressure in the water system.

**DO NOT DRINK THE WATER WITHOUT BOILING IT FIRST.** Bring all water to a rolling boil for one minute, and let it cool before using. Boiled or purchased bottled water should be used for drinking, making ice, brushing teeth, washing dishes, and food preparation until *further notice*. Boiling kills bacteria and other organisms in the water.

When a loss of pressure occurs, it is possible that contamination from the environment or from human or animal waste may be drawn into the water system. Microbes in these wastes can cause short-term effects, such as diarrhea, cramps, nausea, headaches, or other symptoms. They may pose a special health risk for infants, young children, some of the elderly, and people with severely compromised immune systems. These symptoms are not only caused by organisms in drinking water. If you experience any of these symptoms and they persist, you may want to seek medical advice. People at increased risk should seek advice about drinking water from their health care provider.

## What happened?

---

---

---

## The following is being done to correct the problem:

---

---

---

We have consulted with the Washington State Department of Health about this incident. We will notify you when you no longer need to boil the water. We anticipate resolving the problem by \_\_\_\_\_.

For more information, please contact \_\_\_\_\_ at (\_\_\_\_) \_\_\_\_-\_\_\_\_ or at \_\_\_\_\_ (address).

Please share this notice with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this notice in a public place or distribution copies by hand or mail.

This notice is sent to you by Sun Vista/Sunlight Beach Water System on \_\_\_/\_\_\_/\_\_\_\_\_

For more information, please contact the Sustainability Chair, Joel Shrut at listed number given in this plan.